

I CLAIM:

1. A vehicle fluid delivery apparatus comprising, in combination:  
a flexible vehicle fluid container;  
vehicle fluid located in said flexible bladder;  
a first nozzle coupled to said flexible bladder and permitting said vehicle fluid to exit said flexible bladder; and  
a hose coupled at a first end thereof to said first nozzle.
2. The vehicle fluid delivery apparatus of Claim 1 wherein said flexible vehicle fluid container is a bladder.
3. The vehicle fluid delivery apparatus of Claim 1 wherein said flexible vehicle fluid container is pouch-shaped.
4. The vehicle fluid delivery apparatus of Claim 1 wherein said vehicle fluid is one of transmission oil, motor oil, engine shampoo, engine cleaner, windshield washing fluid, anti-freeze/coolant, power steering fluid, and brake fluid.
5. The vehicle fluid delivery apparatus of Claim 1 further comprising a valve to regulate flow of vehicle fluid out of said flexible vehicle fluid container.
6. The vehicle fluid delivery apparatus of Claim 1 wherein said first nozzle is sealed.
7. The vehicle fluid delivery apparatus of Claim 6 wherein said seal is one of foil-type, plastic and foam.
8. The vehicle fluid delivery apparatus of Claim 1 further comprising a cap dimensioned to cover said first nozzle.

9. The vehicle fluid delivery apparatus of Claim 6 further comprising a cap dimensioned to cover said first nozzle.

10. The vehicle fluid delivery apparatus of Claim 9 wherein said cap has a bayonet tip therein adapted to pierce said seal.

11. The vehicle fluid delivery apparatus of Claim 1 wherein said hose has a second nozzle at a second end thereof.

12. The vehicle fluid delivery apparatus of Claim 11 wherein said second nozzle is adapted to be positioned proximate a vehicle fluid fill opening.

13. The vehicle fluid delivery apparatus of Claim 1 further comprising an attachment device adapted to attach said flexible vehicle fluid container to an object.

14. The vehicle fluid delivery apparatus of Claim 13 wherein said object is a vehicle hood.

15. The vehicle fluid delivery apparatus of Claim 13 wherein said object is a mobile carrier.

16. A method for providing vehicle fluid to a vehicle comprising the steps of:  
providing a flexible vehicle fluid container;  
inserting vehicle fluid into said flexible vehicle fluid container;  
providing a first nozzle coupled to said flexible bladder and permitting said vehicle fluid to exit said flexible bladder;  
providing a hose coupled at a first end thereof to said first nozzle;  
positioning said first nozzle proximate a fill opening for vehicle fluid;  
permitting said vehicle fluid to exit said flexible vehicle fluid container and enter said fill opening.

17. The method of 16 wherein said flexible vehicle fluid container is a bladder.
18. The method of Claim 16 wherein said vehicle fluid is one of transmission oil, motor oil, anti-freeze/coolant, power steering fluid, and brake fluid.
19. The method of Claim 16 further comprising the step of providing a valve to regulate flow of vehicle fluid out of said flexible vehicle fluid container.
20. The method of Claim 16 further comprising the step of attaching said flexible vehicle fluid container to an object.